

A checklist to the Birds of Celeste Mountain Lodge

AND SURROUNDINGS

TOTAL OF SPECIES: 286

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence
Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| | | | |
| Day | 1 | 2 | 3 |

Observations by **Noel Ureña** and **Carlos Ureña**

English Common Name

Scientific Name

Status

TINAMIDAE

| English Common Name | Scientific Name | Status | 1 | 2 | 3 |
|------------------------|-------------------------------|--------|---|---|---|
| Great Tinamou | <i>Tinamus major</i> | R | 1 | 2 | 3 |
| Little Tinamou | <i>Crypturellus soui</i> | R | 1 | 2 | 3 |
| Gray-headed Chachalaca | <i>Ortalis cinereiceps</i> | R | 1 | 2 | 3 |
| Crested Guan | <i>Penelope purpurascens</i> | R | 1 | 2 | 3 |
| Black-eared Wood-Quail | <i>Odontophorus melanotis</i> | R-END | 1 | 2 | 3 |
| Wood Stork | <i>Mycteria americana</i> | R, M | 1 | 2 | 3 |
| Fasciated Tiger-Heron | <i>Tigrisoma fasciatum</i> | R | 1 | 2 | 3 |
| Great Egret | <i>Ardea alba</i> | R, M | 1 | 2 | 3 |
| Little Blue Heron | <i>Egretta caerulea</i> | R, M | 1 | 2 | 3 |
| Cattle Egret | <i>Bubulcus ibis</i> | R, M | 1 | 2 | 3 |
| Green Heron | <i>Butorides virescens</i> | R, M | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**), Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | 1 | 2 | 3 |
|----------------------|---------------------------------|----------|---|---|---|
| Black Vulture | <i>Coragyps atratus</i> | R | 1 | 2 | 3 |
| Turkey Vulture | <i>Cathartes aura</i> | R, MN | 1 | 2 | 3 |
| King Vulture | <i>Sarcoramphus papa</i> | R | 1 | 2 | 3 |
| Osprey | <i>Pandion haliaetus</i> | M | 1 | 2 | 3 |
| Swallow-tailed Kite | <i>Elanoides forficatus</i> | R, RR, M | 1 | 2 | 3 |
| Double-toothed Kite | <i>Harpagus bidentatus</i> | R | 1 | 2 | 3 |
| Great Black Hawk | <i>Buteogallus urubitinga</i> | R | 1 | 2 | 3 |
| Barred Hawk | <i>Morphnarchus princeps</i> | R | 1 | 2 | 3 |
| Roadside Hawk | <i>Rupornis magnirostris</i> | R | 1 | 2 | 3 |
| White Hawk | <i>Pseudastur albicollis</i> | R | 1 | 2 | 3 |
| Gray Hawk | <i>Buteo plagiatus</i> | R | 1 | 2 | 3 |
| Broad-winged Hawk | <i>Buteo platypterus</i> | M | 1 | 2 | 3 |
| Short-tailed Hawk | <i>Buteo brachyurus</i> | R, M | 1 | 2 | 3 |
| Swainson's Hawk | <i>Buteo swainsoni</i> | M | 1 | 2 | 3 |
| Zone-tailed Hawk | <i>Buteo albonotatus</i> | R, M | 1 | 2 | 3 |
| Black Hawk-Eagle | <i>Spizaetus tyrannus</i> | R | 1 | 2 | 3 |
| Ornate Hawk-Eagle | <i>Spizaetus ornatus</i> | R | 1 | 2 | 3 |
| Sunbittern | <i>Eurypyga helias</i> | R | 1 | 2 | 3 |
| White-throated Crake | <i>Laterallus albigularis</i> | R | 1 | 2 | 3 |
| Purple Gallinule | <i>Porphyrio martinicus</i> | R | 1 | 2 | 3 |
| Spotted Sandpiper | <i>Actitis macularius</i> | M | 1 | 2 | 3 |
| Ruddy Pigeon | <i>Patagioenas subvinacea</i> | R | 1 | 2 | 3 |
| Short-billed Pigeon | <i>Patagioenas nigrirostris</i> | R | 1 | 2 | 3 |
| Ruddy Ground-Dove | <i>Columbina talpacoti</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | 1 | 2 | 3 |
|-----------------------------|----------------------------------|--------|---|---|---|
| Violaceous Quail-Dove | <i>Geotrygon violacea</i> | R | 1 | 2 | 3 |
| White-tipped Dove | <i>Leptotila verreauxi</i> | R | 1 | 2 | 3 |
| Gray-chested Dove | <i>Leptotila cassinii</i> | R | 1 | 2 | 3 |
| Purplish-backed Quail-Dove | <i>Zentrygon lawrencii</i> | R | 1 | 2 | 3 |
| White-winged Dove | <i>Zenaida asiatica</i> | R, M | 1 | 2 | 3 |
| Squirrel Cuckoo | <i>Piaya cayana</i> | R | 1 | 2 | 3 |
| Yellow-billed Cuckoo | <i>Coccyzus americanus</i> | M | 1 | 2 | 3 |
| Black-billed Cuckoo | <i>Coccyzus erythrophthalmus</i> | M | 1 | 2 | 3 |
| Groove-billed Ani | <i>Crotophaga sulcirostris</i> | R | 1 | 2 | 3 |
| Barn-Owl | <i>Tyto alba</i> | R | 1 | 2 | 3 |
| Crested Owl | <i>Lophotrix cristata</i> | R | 1 | 2 | 3 |
| Spectacled Owl | <i>Pulsatrix perspicillata</i> | R | 1 | 2 | 3 |
| Central American Pygmy-Owl | <i>Glaucidium griseiceps</i> | R | 1 | 2 | 3 |
| Mottled Owl | <i>Ciccaba virgata</i> | R | 1 | 2 | 3 |
| Black-and-white Owl | <i>Ciccaba nigrolineata</i> | R | 1 | 2 | 3 |
| Striped Owl | <i>Pseudoscops clamator</i> | R | 1 | 2 | 3 |
| Common Pauraque | <i>Nyctidromus albigollis</i> | R | 1 | 2 | 3 |
| Chestnut-collared Swift | <i>Streptoprocne rutila</i> | R | 1 | 2 | 3 |
| White-collared Swift | <i>Streptoprocne zonaris</i> | R | 1 | 2 | 3 |
| Vaux's Swift | <i>Chaetura vauxi</i> | R | 1 | 2 | 3 |
| Gray-rumped Swift | <i>Chaetura cinereiventris</i> | R | 1 | 2 | 3 |
| Lesser Swallow-tailed Swift | <i>Panyptila cayennensis</i> | R | 1 | 2 | 3 |
| White-necked Jacobin | <i>Florisuga mellivora</i> | R | 1 | 2 | 3 |
| White-tipped Sicklebill | <i>Eutoxeres aquila</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | | | |
|----------------------------|---------------------------------|---------|---|---|---|
| Bronzy Hermit | <i>Glaucis aeneus</i> | R | 1 | 2 | 3 |
| Band-tailed Barbthroat | <i>Threnetes ruckeri</i> | R | 1 | 2 | 3 |
| Green Hermit | <i>Phaethornis guy</i> | R | 1 | 2 | 3 |
| Long-billed Hermit | <i>Phaethornis longirostris</i> | R | 1 | 2 | 3 |
| Stripe-throated Hermit | <i>Phaethornis striigularis</i> | R | 1 | 2 | 3 |
| Brown Violetear | <i>Colibri delphinae</i> | R | 1 | 2 | 3 |
| Purple-crowned Fairy | <i>Heliodytes barroti</i> | R | 1 | 2 | 3 |
| Green Thorntail | <i>Discosura conversii</i> | R | 1 | 2 | 3 |
| Black-crested Coquette | <i>Lophornis helenae</i> | R | 1 | 2 | 3 |
| Ruby-throated Hummingbird | <i>Archilochus colubris</i> | M | 1 | 2 | 3 |
| Violet-headed Hummingbird | <i>Klais guimeti</i> | R | 1 | 2 | 3 |
| Scaly-breasted Hummingbird | <i>Phaeochroa cuvierii</i> | R | 1 | 2 | 3 |
| Snowcap | <i>Microchera albocoronata</i> | R-END | 1 | 2 | 3 |
| Bronze-tailed Plumeleteer | <i>Chalybura urochrysis</i> | R | 1 | 2 | 3 |
| Crowned Woodnymph | <i>Thalurania colombica</i> | R | 1 | 2 | 3 |
| Blue-chested Hummingbird | <i>Amazilia amabilis</i> | R | 1 | 2 | 3 |
| Steely-vented Hummingbird | <i>Amazilia saucerrottei</i> | R | 1 | 2 | 3 |
| Rufous-tailed Hummingbird | <i>Amazilia tzacatl</i> | R | 1 | 2 | 3 |
| Lattice-tailed Trogon | <i>Trogon clathratus</i> | R - END | 1 | 2 | 3 |
| Slaty-tailed Trogon | <i>Trogon massena</i> | R | 1 | 2 | 3 |
| Gartered Trogon | <i>Trogon caligatus</i> | R | 1 | 2 | 3 |
| Black-throated Trogon | <i>Trogon rufus</i> | R | 1 | 2 | 3 |
| Orange-bellied Trogon | <i>Trogon aurantiiventris</i> | R - END | 1 | 2 | 3 |
| Tody Motmot | <i>Hylomanes momotula</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**), Endemic (**END**)

| | | |
|-----|---|---|
| | | |
| Day | 1 | 2 |
| | | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | | | | |
|---------------------|-----------------------------|----------------------------------|-------|---|---|---|
| | Rufous Motmot | <i>Baryphthengus martii</i> | R | 1 | 2 | 3 |
| | Keel-billed Motmot | <i>Electron carinatum</i> | R | 1 | 2 | 3 |
| | Broad-billed Motmot | <i>Electron platyrhynchum</i> | R | 1 | 2 | 3 |
| | Ringed Kingfisher | <i>Megaceryle torquatus</i> | R | 1 | 2 | 3 |
| | White-fronted Nunbird | <i>Monasa morphoeus</i> | R | 1 | 2 | 3 |
| | Rufous-tailed Jacamar | <i>Galbula ruficauda</i> | R | 1 | 2 | 3 |
| | Collared Aracari | <i>Pteroglossus torquatus</i> | R | 1 | 2 | 3 |
| | Yellow-eared Toucanet | <i>Selenidera spectabilis</i> | R-END | 1 | 2 | 3 |
| | Keel-billed Toucan | <i>Ramphastos sulfuratus</i> | R | 1 | 2 | 3 |
| | Yellow-throated Toucan | <i>Ramphastos ambiguus</i> | R | 1 | 2 | 3 |
| | Olivaceous Piculet | <i>Picumnus olivaceus</i> | R | 1 | 2 | 3 |
| | Black-cheeked Woodpecker | <i>Melanerpes pucherani</i> | R | 1 | 2 | 3 |
| | Hoffmann's Woodpecker | <i>Melanerpes hoffmannii</i> | R-END | 1 | 2 | 3 |
| | Yellow-bellied Sapsucker | <i>Sphyrapicus varius</i> | M | 1 | 2 | 3 |
| | Smoky-brown Woodpecker | <i>Picoides fumigatus</i> | R | 1 | 2 | 3 |
| | Rufous-winged Woodpecker | <i>Piculus simplex</i> | R-END | 1 | 2 | 3 |
| | Golden-olive Woodpecker | <i>Colaptes rubiginosus</i> | R | 1 | 2 | 3 |
| | Cinnamon Woodpecker | <i>Celeus loricatus</i> | R | 1 | 2 | 3 |
| | Chestnut-colored Woodpecker | <i>Celeus castaneus</i> | R | 1 | 2 | 3 |
| | Lineated Woodpecker | <i>Dryocopus lineatus</i> | R | 1 | 2 | 3 |
| | Pale-billed Woodpecker | <i>Campephilus guatemalensis</i> | R | 1 | 2 | 3 |
| | Barred Forest-Falcon | <i>Micrastur ruficollis</i> | R | 1 | 2 | 3 |
| | Collared Forest-Falcon | <i>Micrastur semitorquatus</i> | R | 1 | 2 | 3 |
| | Crested Caracara | <i>Caracara cheriway</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | | | |
|--------------------------|----------------------------------|--------|---|---|---|
| Laughing Falcon | <i>Herpetotheres cachinnans</i> | R | 1 | 2 | 3 |
| Bat Falcon | <i>Falco ruficularis</i> | R | 1 | 2 | 3 |
| Peregrine Falcon | <i>Falco peregrinus</i> | M | 1 | 2 | 3 |
| Olive-throated Parakeet | <i>Eupsittula nana</i> | R | 1 | 2 | 3 |
| Crimson-fronted Parakeet | <i>Psittacara finschi</i> | R-END | 1 | 2 | 3 |
| Orange-chinned Parakeet | <i>Brotogeris jugularis</i> | R | 1 | 2 | 3 |
| Brown-hooded Parrot | <i>Pyrilia haematotis</i> | R | 1 | 2 | 3 |
| White-crowned Parrot | <i>Pionus senilis</i> | R | 1 | 2 | 3 |
| Red-lored Parrot | <i>Amazona autumnalis</i> | R | 1 | 2 | 3 |
| Mealy Parrot | <i>Amazona farinosa</i> | R | 1 | 2 | 3 |
| Great Antshrike | <i>Taraba major</i> | R | 1 | 2 | 3 |
| Barred Antshrike | <i>Thamnophilus doliatus</i> | R | 1 | 2 | 3 |
| Black-crowned Antshrike | <i>Thamnophilus atrinucha</i> | R | 1 | 2 | 3 |
| Russet Antshrike | <i>Thamnistes anabatinus</i> | R | 1 | 2 | 3 |
| Plain Antwreio | <i>Dysithamnus mentalis</i> | R | 1 | 2 | 3 |
| Streak-crowned Antwreio | <i>Dysithamnus striaticeps</i> | R-END | 1 | 2 | 3 |
| Slaty Antwren | <i>Myrmotherula schisticolor</i> | R | 1 | 2 | 3 |
| Dusky Antbird | <i>Cercomacra tyrannina</i> | R | 1 | 2 | 3 |
| Bare-crowned Antbird | <i>Gymnocichla nudiceps</i> | R | 1 | 2 | 3 |
| Chestnut-backed Antbird | <i>Myrmeciza exsul</i> | R | 1 | 2 | 3 |
| Dull-mantled Antbird | <i>Myrmeciza laemosticta</i> | R | 1 | 2 | 3 |
| Zeledon's Antbird | <i>Myrmeciza zeledoni</i> | R | 1 | 2 | 3 |
| Spotted Antbird | <i>Hylophylax naevioides</i> | R | 1 | 2 | 3 |
| Bicolored Antbird | <i>Gymnophrys bicolor</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | |
|-----|---|---|
| | | |
| Day | 1 | 2 |
| | | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | | | |
|-------------------------------|------------------------------------|--------|---|---|---|
| Ocellated Antbird | <i>Phaenostictus mcleannani</i> | R | 1 | 2 | 3 |
| Thicket Antpitta | <i>Hylopezus dives</i> | R-END | 1 | 2 | 3 |
| Black-faced Antthrush | <i>Formicarius analis</i> | R | 1 | 2 | 3 |
| Tawny-throated Leaftosser | <i>Sclerurus mexicanus</i> | R | 1 | 2 | 3 |
| Scaly-throated Leaftosser | <i>Sclerurus guatemalensis</i> | R | 1 | 2 | 3 |
| Olivaceous Woodcreeper | <i>Sittasomus griseicapillus</i> | R | 1 | 2 | 3 |
| Wedge-billed Woodcreeper | <i>Glyphorhynchus spirurus</i> | R | 1 | 2 | 3 |
| Northern-barred Woodcreeper | <i>Dendrocolaptes sanctithomae</i> | R | 1 | 2 | 3 |
| Cocoa Woodcreeper | <i>Xiphorhynchus susurrans</i> | R | 1 | 2 | 3 |
| Spotted Woodcreeper | <i>Xiphorhynchus erythropygius</i> | R | 1 | 2 | 3 |
| Streak-headed Woodcreeper | <i>Lepidocolaptes souleyetii</i> | R | 1 | 2 | 3 |
| Plain Xenops | <i>Xenops minutus</i> | R | 1 | 2 | 3 |
| Buff-throated Foliage-gleaner | <i>Automolus ochrolaemus</i> | R | 1 | 2 | 3 |
| Slaty Spinetail | <i>Synallaxis brachyura</i> | R | 1 | 2 | 3 |
| Yellow Tyrannulet | <i>Capsiempis flaveola</i> | R | 1 | 2 | 3 |
| Greenish Elaenia | <i>Myiopagis viridicata</i> | R | 1 | 2 | 3 |
| Yellow-bellied Elaenia | <i>Elaenia flavogaster</i> | R | 1 | 2 | 3 |
| Mountain Elaenia | <i>Elaenia frantzii</i> | R | 1 | 2 | 3 |
| Olive-striped Flycatcher | <i>Mionectes olivaceus</i> | R | 1 | 2 | 3 |
| Ochre-bellied Flycatcher | <i>Mionectes oleagineus</i> | R | 1 | 2 | 3 |
| Slaty-capped Flycatcher | <i>Leptopogon supercilii</i> | R | 1 | 2 | 3 |
| Paltry Tyrannulet | <i>Zimmerius vilissimus</i> | R | 1 | 2 | 3 |
| Scale-crested Pygmy-Tyrant | <i>Lophotriccus pileatus</i> | R | 1 | 2 | 3 |
| Common Tody-Flycatcher | <i>Todirostrum cinereum</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | | | |
|------------------------------|-----------------------------------|----------|---|---|---|
| Black-headed Tody-Flycatcher | <i>Todirostrum nigriceps</i> | R | 1 | 2 | 3 |
| Eye-ringed Flatbill | <i>Rhynchocyclus brevirostris</i> | R | 1 | 2 | 3 |
| Yellow-olive Flycatcher | <i>Tolmomyias sulphureus</i> | R | 1 | 2 | 3 |
| White-throated Spadebill | <i>Platyrinchus mystaceus</i> | R | 1 | 2 | 3 |
| Ruddy-tailed Flycatcher | <i>Terentotriccus erythrurus</i> | R | 1 | 2 | 3 |
| Olive-sided Flycatcher | <i>Contopus cooperi</i> | M | 1 | 2 | 3 |
| Western Wood-Pewee | <i>Contopus sordidulus</i> | M, R? | 1 | 2 | 3 |
| Eastern Wood-Pewee | <i>Contopus virens</i> | M | 1 | 2 | 3 |
| Tropical Pewee | <i>Contopus cinereus</i> | R | 1 | 2 | 3 |
| Black Phoebe | <i>Sayornis nigricans</i> | R | 1 | 2 | 3 |
| Long-tailed Tyrant | <i>Colonia colonus</i> | R | 1 | 2 | 3 |
| Bright-rumped Attila | <i>Attila spadiceus</i> | R | 1 | 2 | 3 |
| Rufous Mourner | <i>Rhytipterna holerythra</i> | R | 1 | 2 | 3 |
| Dusky-capped Flycatcher | <i>Myiarchus tuberculifer</i> | R | 1 | 2 | 3 |
| Great Crested Flycatcher | <i>Myiarchus crinitus</i> | M | 1 | 2 | 3 |
| Great Kiskadee | <i>Pitangus sulphuratus</i> | R | 1 | 2 | 3 |
| Boat-billed Flycatcher | <i>Megarhynchus pitangua</i> | R | 1 | 2 | 3 |
| Social Flycatcher | <i>Myiozetetes similis</i> | R | 1 | 2 | 3 |
| Gray-capped Flycatcher | <i>Myiozetetes granadensis</i> | R | 1 | 2 | 3 |
| Streaked Flycatcher | <i>Myiodynastes maculatus</i> | R, RR, M | 1 | 2 | 3 |
| Sulphur-bellied Flycatcher | <i>Myiodynastes luteiventris</i> | RR, M | 1 | 2 | 3 |
| Piratic Flycatcher | <i>Legatus leucophaeus</i> | RR, M | 1 | 2 | 3 |
| Tropical Kingbird | <i>Tyrannus melancholicus</i> | R | 1 | 2 | 3 |
| Northern Schiffornis | <i>Schiffornis veraepacis</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | 1 | 2 | 3 |
|-------------------------------|-----------------------------------|--------|---|---|---|
| Masked Tityra | <i>Tityra semifasciata</i> | R | 1 | 2 | 3 |
| Black-crowned Tityra | <i>Tityra inquisitor</i> | R | 1 | 2 | 3 |
| White-winged Becard | <i>Pachyramphus polychopterus</i> | R | 1 | 2 | 3 |
| Purple-throated Fruitcrow | <i>Querula purpurata</i> | R | 1 | 2 | 3 |
| Bare-necked Umbrellabird | <i>Cephalopterus glabricollis</i> | R-END | 1 | 2 | 3 |
| Lovely Cotinga | <i>Cotinga amabilis</i> | R | 1 | 2 | 3 |
| Long-tailed Manakin | <i>Chiroxiphia linearis</i> | R | 1 | 2 | 3 |
| Blue-crowned Manakin | <i>Lepidothrix coronata</i> | R | 1 | 2 | 3 |
| White-collared Manakin | <i>Manacus candei</i> | R | 1 | 2 | 3 |
| White-crowned Manakin | <i>Dixiphia pipra</i> | R | 1 | 2 | 3 |
| Yellow-throated Vireo | <i>Vireo flavifrons</i> | M | 1 | 2 | 3 |
| Philadelphia Vireo | <i>Vireo philadelphicus</i> | M | 1 | 2 | 3 |
| Red-eyed Vireo | <i>Vireo olivaceus</i> | M | 1 | 2 | 3 |
| Tawny-crowned Greenlet | <i>Hylophilus ochraceiceps</i> | R | 1 | 2 | 3 |
| Lesser Greenlet | <i>Hylophilus decurtatus</i> | R | 1 | 2 | 3 |
| Green Shrike-Vireo | <i>Vireolanius pulchellus</i> | R | 1 | 2 | 3 |
| Rufous-browed Peppershrike | <i>Cyclarhis gujanensis</i> | R | 1 | 2 | 3 |
| Brown Jay | <i>Psilorhinus morio</i> | R | 1 | 2 | 3 |
| Gray-breasted Martin | <i>Progne chalybea</i> | R | 1 | 2 | 3 |
| Mangrove Swallow | <i>Tachycineta albilinea</i> | R | 1 | 2 | 3 |
| Blue-and-white Swallow | <i>Pygochelidon cyanoleuca</i> | R, M | 1 | 2 | 3 |
| Northern Rough-winged Swallow | <i>Stelgidopteryx serripennis</i> | R, M | 1 | 2 | 3 |
| Southern Rough-winged Swallow | <i>Stelgidopteryx ruficollis</i> | R | 1 | 2 | 3 |
| Bank Swallow | <i>Riparia riparia</i> | M | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | |
|-----|---|---|
| | | |
| Day | 1 | 2 |
| | | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | 1 | 2 | 3 |
|---------------------------------|-----------------------------------|--------|---|---|---|
| Cliff Swallow | <i>Petrochelidon pyrrhonota</i> | M | 1 | 2 | 3 |
| Barn Swallow | <i>Hirundo rustica</i> | M | 1 | 2 | 3 |
| Nightingale Wren | <i>Microcerculus philomela</i> | R | 1 | 2 | 3 |
| House Wren | <i>Troglodytes aedon</i> | R | 1 | 2 | 3 |
| Stripe-breasted Wren | <i>Cantorchilus thoracicus</i> | R-END | 1 | 2 | 3 |
| Plain Wren | <i>Cantorchilus modestus</i> | R | 1 | 2 | 3 |
| Bay Wren | <i>Cantorchilus nigricapillus</i> | R | 1 | 2 | 3 |
| White-breasted Wood-Wren | <i>Henicorhina leucosticta</i> | R | 1 | 2 | 3 |
| Song Wren | <i>Cyphorhinus phaeocephalus</i> | R | 1 | 2 | 3 |
| Tawny-faced Gnatwren | <i>Microbates cinereiventris</i> | R | 1 | 2 | 3 |
| Long-billed Gnatwren | <i>Ramphocaenus melanurus</i> | R | 1 | 2 | 3 |
| Tropical Gnatcatcher | <i>Polioptila plumbea</i> | R | 1 | 2 | 3 |
| Black-headed Nightingale-Thrush | <i>Catharus mexicanus</i> | R | 1 | 2 | 3 |
| Gray-cheeked Thrush | <i>Catharus minimus</i> | M | 1 | 2 | 3 |
| Swainson's Thrush | <i>Catharus ustulatus</i> | M | 1 | 2 | 3 |
| Wood Thrush | <i>Hylocichla mustelina</i> | M | 1 | 2 | 3 |
| Mountain Thrush | <i>Turdus plebejus</i> | R | 1 | 2 | 3 |
| Pale-vented Thrush | <i>Turdus obsoletus</i> | R | 1 | 2 | 3 |
| Clay-colored Thrush | <i>Turdus grayi</i> | R | 1 | 2 | 3 |
| White-throated Thrush | <i>Turdus assimilis</i> | R | 1 | 2 | 3 |
| Tropical Mockingbird | <i>Mimus gilvus</i> | R | 1 | 2 | 3 |
| Worm-eating Warbler | <i>Helmitheros vermivorum</i> | M | 1 | 2 | 3 |
| Northern Waterthrush | <i>Parkesia noveboracensis</i> | M | 1 | 2 | 3 |
| Golden-winged Warbler | <i>Vermivora chrysoptera</i> | M | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | 1 | 2 | 3 |
|-------------------------------|---------------------------------|--------|---|---|---|
| Black-and-white Warbler | <i>Mniotilta varia</i> | M | 1 | 2 | 3 |
| Tennessee Warbler | <i>Oreothlypis peregrina</i> | M | 1 | 2 | 3 |
| Gray-crowned Yellowthroat | <i>Geothlypis poliocephala</i> | R | 1 | 2 | 3 |
| Mourning Warbler | <i>Geothlypis philadelphia</i> | M | 1 | 2 | 3 |
| Hooded Warbler | <i>Setophaga citrina</i> | M | 1 | 2 | 3 |
| Tropical Parula | <i>Setophaga pitiauyumi</i> | R | 1 | 2 | 3 |
| Blackburnian Warbler | <i>Setophaga fusca</i> | M | 1 | 2 | 3 |
| Yellow Warbler | <i>Setophaga petechia</i> | R, M | 1 | 2 | 3 |
| Chestnut-sided Warbler | <i>Setophaga pensylvanica</i> | M | 1 | 2 | 3 |
| Buff-rumped Warbler | <i>Myiothlypis fulvicauda</i> | R | 1 | 2 | 3 |
| Golden-crowned Warbler | <i>Basileuterus culicivorus</i> | R | 1 | 2 | 3 |
| Three-striped Warbler | <i>Basileuterus tristriatus</i> | R | 1 | 2 | 3 |
| Wilson's Warbler | <i>Cardellina pusilla</i> | M | 1 | 2 | 3 |
| Blue-gray Tanager | <i>Thraupis episcopus</i> | R | 1 | 2 | 3 |
| Palm Tanager | <i>Thraupis palmarum</i> | R | 1 | 2 | 3 |
| Golden-hooded Tanager | <i>Tangara larvata</i> | R | 1 | 2 | 3 |
| Rufous-winged Tanager | <i>Tangara lavinia</i> | R | 1 | 2 | 3 |
| Bay-headed Tanager | <i>Tangara gyrola</i> | R | 1 | 2 | 3 |
| Emerald Tanager | <i>Tangara florida</i> | R | 1 | 2 | 3 |
| Silver-throated Tanager | <i>Tangara icterocephala</i> | R | 1 | 2 | 3 |
| Green Honeycreeper | <i>Chlorophanes spiza</i> | R | 1 | 2 | 3 |
| Blue-black Grassquit | <i>Volatinia jacarina</i> | R | 1 | 2 | 3 |
| White-lined Tanager | <i>Tachyphonus rufus</i> | R | 1 | 2 | 3 |
| White-throated Shrike-Tanager | <i>Lanio leucothorax</i> | R-END | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident (**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**), Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| English Common Name | Scientific Name | Status | | | |
|--------------------------|-----------------------------------|--------|---|---|---|
| Crimson-collared Tanager | <i>Ramphocelus sanguinolentus</i> | R | 1 | 2 | 3 |
| Passerini's Tanager | <i>Ramphocelus passerinii</i> | R | 1 | 2 | 3 |
| Shining Honeycreeper | <i>Cyanerpes lucidus</i> | R | 1 | 2 | 3 |
| Red-legged Honeycreeper | <i>Cyanerpes cyaneus</i> | R | 1 | 2 | 3 |
| Scarlet-thighed Dacnis | <i>Dacnis venusta</i> | R | 1 | 2 | 3 |
| Blue Dacnis | <i>Dacnis cayana</i> | R | 1 | 2 | 3 |
| Bananaquit | <i>Coereba flaveola</i> | R | 1 | 2 | 3 |
| Yellow-faced Grassquit | <i>Tiaris olivaceus</i> | R | 1 | 2 | 3 |
| Thick-billed Seed-Finch | <i>Sporophila funerea</i> | R | 1 | 2 | 3 |
| Variable Seedeater | <i>Sporophila corvina</i> | R | 1 | 2 | 3 |
| White-collared Seedeater | <i>Sporophila torqueola</i> | R | 1 | 2 | 3 |
| Buff-throated Saltator | <i>Saltator maximus</i> | R | 1 | 2 | 3 |
| Grayish Saltator | <i>Saltator coerulescens</i> | R | 1 | 2 | 3 |
| Orange-billed Sparrow | <i>Arremon aurantiirostris</i> | R | 1 | 2 | 3 |
| Black-striped Sparrow | <i>Arremonops conirostris</i> | R | 1 | 2 | 3 |
| Rufous-collared Sparrow | <i>Zonotrichia capensis</i> | R | 1 | 2 | 3 |
| Common Chlorospingus | <i>Chlorospingus flavopectus</i> | R | 1 | 2 | 3 |
| Hepatic Tanager | <i>Piranga flava</i> | R | 1 | 2 | 3 |
| Summer Tanager | <i>Piranga rubra</i> | M | 1 | 2 | 3 |
| Scarlet Tanager | <i>Piranga olivacea</i> | M | 1 | 2 | 3 |
| Red-throated Ant-Tanager | <i>Habia fuscicauda</i> | R | 1 | 2 | 3 |
| Carmioli's Tanager | <i>Chlorothraupis carmioli</i> | R | 1 | 2 | 3 |
| Rose-breasted Grosbeak | <i>Pheucticus ludovicianus</i> | M | 1 | 2 | 3 |
| Blue-black Grosbeak | <i>Cyanocompsa cyanoides</i> | R | 1 | 2 | 3 |

Status: Without Voucher (**SC**) Resident(**R**), Breeding Resident (**RR**), Residence Uncertain (**R?**), Migrant (**M**) Migrant Status Uncertain (**M?**), Accidental (**A**).
Endemic (**END**)

| | | | |
|-----|---|---|---|
| | | | |
| Day | 1 | 2 | 3 |

Observations by Noel Ureña and Carlos Ureña

| | English Common Name | Scientific Name | Status | | | |
|--|----------------------------|---------------------------------|--------|---|---|---|
| | Eastern Meadowlark | <i>Sturnella magna</i> | R | 1 | 2 | 3 |
| | Melodious Blackbird | <i>Dives dives</i> | R | 1 | 2 | 3 |
| | Great-tailed Grackle | <i>Quiscalus mexicanus</i> | R | 1 | 2 | 3 |
| | Baltimore Oriole | <i>Icterus galbula</i> | M | 1 | 2 | 3 |
| | Yellow-billed Cacique | <i>Amblycercus holosericeus</i> | R | 1 | 2 | 3 |
| | Scarlet-rumped Cacique | <i>Cacicus uropygialis</i> | R | 1 | 2 | 3 |
| | Chestnut-headed Oropendola | <i>Psarocolius wagleri</i> | R | 1 | 2 | 3 |
| | Montezuma Oropendola | <i>Psarocolius montezuma</i> | R | 1 | 2 | 3 |
| | Yellow-crowned Euphonia | <i>Euphonia luteicapilla</i> | R-END | 1 | 2 | 3 |
| | Yellow-throated Euphonia | <i>Euphonia hirundinacea</i> | R | 1 | 2 | 3 |
| | White-vented Euphonia | <i>Euphonia minuta</i> | R | 1 | 2 | 3 |

286

TOTAL OF SPECIES